

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.05.2021

Version number 6

Revision: 27.05.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** **THERMACUT COOLANT (T-13000/T-13004/T-13006/T-13007)**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** Identified use: intended for professional use only!
- **Application of the substance / the mixture** Coolant/ Cutting solution
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** THERMACUT, k.s.,  
SOKOLOVSKÁ 574  
686 01 UHERSKÉ HRADIŠTĚ  
CZECH REPUBLIC  
Tel: +420 572 420 411  
Fax: +420 572 420 420  
E-mail: info@THERMACUT.CZ  
www.thermacut.com
- **Further information obtainable from:** Produktmanagement
- **1.4 Emergency telephone number:** Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen  
Langenbeckstraße 1; Gebäude 601; 55131 Mainz  
Tel. Nr.: +49 (0)6131 / 19 24 0  
Universitätsmedizin der Johannes Gutenberg-Universität Mainz

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008** The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture: consisting of the following components.

**- Dangerous components:**

CAS: 57-55-6	propane-1,2-diol	substance with a Community workplace exposure limit	25-50%
EINECS: 200-338-0			
Reg.nr.: 01-2119456809-23			

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.  
Do not leave affected persons unattended.

(Contd. on page 2)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.05.2021

Version number 6

Revision: 27.05.2021

Trade name: **THERMACUT COOLANT (T-13000/T-13004/T-13006/T-13007)**

(Contd. of page 1)

- **After inhalation:**

*Personal protection for the First Aider.*

*Take affected persons out of danger area and lay down.*

*In case of unconsciousness place patient stably in side position for transportation.*

*Supply fresh air; consult doctor in case of complaints.*

- **After skin contact:**

*Immediately wash with water and soap and rinse thoroughly.*

*Seek medical treatment in case of complaints.*

- **After eye contact:**

*Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.*

*Protect unharmed eye.*

- **After swallowing:**

*If symptoms persist consult doctor.*

- **4.2 Most important symptoms and effects, both acute and delayed**

*No further relevant information available.*

- **4.3 Indication of any immediate medical attention and special treatment needed**

*No further relevant information available.*

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**

- **Suitable extinguishing agents:**

*CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.*

*Use fire extinguishing methods suitable to surrounding conditions.*

- **5.2 Special hazards arising from the substance or mixture**

*CO<sub>2</sub>*

*Carbon monoxide (CO)*

*Formation of toxic gases is possible during heating or in case of fire.*

- **5.3 Advice for firefighters**

- **Protective equipment:**

*Do not inhale explosion gases or combustion gases.*

- **Additional information**

*Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.*

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**

*Wear protective equipment. Keep unprotected persons away.*

*Avoid contact with skin and eyes*

*Ensure adequate ventilation*

- **6.2 Environmental precautions:**

*Prevent from spreading (e.g. by damming-in or oil barriers).*

*Do not allow to enter sewers/ surface or ground water.*

*Inform respective authorities in case of seepage into water course or sewage system.*

- **6.3 Methods and material for containment and cleaning up:**

*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*

- **6.4 Reference to other sections**

*See Section 7 for information on safe handling.*

*See Section 8 for information on personal protection equipment.*

*See Section 13 for disposal information.*

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**

*Store in cool, dry place in tightly closed receptacles.*

*Ensure good ventilation/exhaustion at the workplace.*

(Contd. on page 3)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.05.2021

Version number 6

Revision: 27.05.2021

Trade name: **THERMACUT COOLANT (T-13000/T-13004/T-13006/T-13007)**

(Contd. of page 2)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Store in dry conditions.  
Keep container tightly sealed.  
Recommended storage temperature: 5-30 °C
- **Storage class:** 12
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### - 8.1 Control parameters

#### - Ingredients with limit values that require monitoring at the workplace:

##### 57-55-6 propane-1,2-diol

WEL	Long-term value: 474* 10** mg/m <sup>3</sup> , 150* ppm
	*total vapour and particulates **particulates

- **Regulatory information** WEL: EH40/2020

#### - DNELs

##### 57-55-6 propane-1,2-diol

Inhalative	Long term - systemic effects	168 mg/m <sup>3</sup> (worker) (GESTIS-DNEL-Liste Stand Nov. 2018)
	Long term - local effects	10 mg/m <sup>3</sup> (worker) (GESTIS-DNEL-Liste Stand Nov. 2018)

- **Additional information:** The lists valid during the making were used as basis.

### - 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

- **Respiratory protection:** When used properly and under normal conditions, breathing protection is not required.  
Use suitable respiratory protective device in case of insufficient ventilation.  
Filter A/P2  
Respiratory protection - Gas filters and combination filters according to (DIN EN 141)

#### - Hand protection



Protective gloves

Check protective gloves prior to each use for their proper condition.  
Only use chemical-protective gloves with CE-labelling of category III.  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  
After use of gloves apply skin-cleaning agents and skin cosmetics.

#### - Material of gloves

Recommended materials:  
Butyl rubber, BR  
Recommended thickness of the material: ≥ 0.5 mm

(Contd. on page 4)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.05.2021

Version number 6

Revision: 27.05.2021

**Trade name: THERMACUT COOLANT (T-13000/T-13004/T-13006/T-13007)**

(Contd. of page 3)

- **Penetration time of glove material** Penetration time (min.): < 480  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.  
The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
- **As protection from splashes gloves made of the following materials are suitable:** Nitrile rubber, NBR  
Recommended thickness of the material:  $\geq 0.1$  mm  
Penetration time (min.): < 10
- **Eye/face protection**  Tightly sealed goggles  
Protective goggles and facial protection - Classification according to EN 166
- **Body protection:** protective clothing (EN 13034)

## SECTION 9: Physical and chemical properties

### - 9.1 Information on basic physical and chemical properties

- **General Information**
- **Physical state** Fluid
- **Colour:** According to product specification
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Undetermined.
- **Boiling point or initial boiling point and boiling range** Undetermined.
- **Flammability** Not applicable.
- **Lower and upper explosion limit**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Flash point:** Not applicable.
- **Auto-ignition temperature:** Product is not selfigniting.
- **Decomposition temperature:** Not determined.
- **pH** Slightly acidic
- **Viscosity:**
- **Kinematic viscosity** Not determined.
- **Dynamic:** Not determined.
- **Solubility**
- **water:** Fully miscible.
- **Partition coefficient n-octanol/water (log value)** Not determined.
- **Density and/or relative density**
- **Density at 20 °C:** 1.03 g/cm<sup>3</sup>
- **Relative density** Not determined.
- **Vapour density** Not determined.

### - 9.2 Other information

- **Appearance:**
- **Form:** Fluid
- **Important information on protection of health and environment, and on safety.**
- **Explosive properties:** Product does not present an explosion hazard.
- **Solvent content:**
- **Organic solvents:** 30.0 %
- **Water:** 69.6 %

(Contd. on page 5)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.05.2021

Version number 6

Revision: 27.05.2021

**Trade name: THERMACUT COOLANT (T-13000/T-13004/T-13006/T-13007)**

(Contd. of page 4)

- **Change in condition**  
- **Evaporation rate** Not determined.

- **Information with regard to physical hazard classes**

- **Explosives**

Void

- **Flammable gases**

Void

- **Aerosols**

Void

- **Oxidising gases**

Void

- **Gases under pressure**

Void

- **Flammable liquids**

Void

- **Flammable solids**

Void

- **Self-reactive substances and mixtures**

Void

- **Pyrophoric liquids**

Void

- **Pyrophoric solids**

Void

- **Self-heating substances and mixtures**

Void

- **Substances and mixtures, which emit flammable gases in contact with water**

Void

- **Oxidising liquids**

Void

- **Oxidising solids**

Void

- **Organic peroxides**

Void

- **Corrosive to metals**

Void

- **Desensitised explosives**

Void

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.05.2021

Version number 6

Revision: 27.05.2021

Trade name: **THERMACUT COOLANT (T-13000/T-13004/T-13006/T-13007)**

(Contd. of page 5)

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**
- **57-55-6 propane-1,2-diol**

Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>20 mg/l (rabbit)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**
- None of the ingredients is listed.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**
- **57-55-6 propane-1,2-diol**

NOEC	>20,000 mg/kg ( <i>Pseudomonas putida</i> ) (18h,)
IC50	24,200 mg/l ( <i>Selenastrum capricornutum</i> ) (72h)
ErC50	19,000 mg/l ( <i>Pseudokirchneriella subcapitata</i> ) (96h; OECD 201)
LC50	40,613 mg/l ( <i>Oncorhynchus mykiss</i> (Regenbogenforelle)) (96h; OECD 203)
EC0	>20,000 mg/l ( <i>Pseudomonas putida</i> ) (18h)
EC50	18,340 mg/l ( <i>Ceriodaphnia dubia</i> ) (48h; OECD 202)
	18,800 mg/l ( <i>Mysidopsis bahia</i> ) (48h)
	>100 mg/l ( <i>Daphnia magna</i> ) (48h)
	19,000 mg/l ( <i>Skeletonema costatum</i> ) (48h)
NOEC	13,020 mg/l ( <i>Ceriodaphnia dubia</i> ) (7d; semistaic. test)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.

(Contd. on page 7)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.05.2021

Version number 6

Revision: 27.05.2021

Trade name: **THERMACUT COOLANT (T-13000/T-13004/T-13006/T-13007)**

(Contd. of page 6)

- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:** Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
Disposal according to official regulations
- **European waste catalogue**

14 06 03*	other solvents and solvent mixtures
15 01 02	plastic packaging

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR, ADN, IMDG, IATA** Void
- **14.2 UN proper shipping name**
- **ADR, ADN, IMDG, IATA** Void
- **14.3 Transport hazard class(es)**
- **ADR, ADN, IMDG, IATA**
- **Class** Void
- **14.4 Packing group**
- **ADR, IMDG, IATA** Void
- **14.5 Environmental hazards:**
- **Marine pollutant:** No
- **14.6 Special precautions for user** Not applicable.
- **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.
- **UN "Model Regulation":** Void

EN

(Contd. on page 8)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.05.2021

Version number 6

Revision: 27.05.2021

Trade name: **THERMACUT COOLANT (T-13000/T-13004/T-13006/T-13007)**

(Contd. of page 7)

## SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- Directive 2012/18/EU

- **Named dangerous substances - ANNEX I**

None of the ingredients is listed.

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The safety data sheet issued is also compliant with the regulation Annex I of Regulation (EU) no. 453/2010 and Annex II of Regulation (EU) no. 2020/878.

- **Department issuing SDS:** Product Management

- **Contact:** Product Management

- **Date of previous version:** 18.05.2021

- **Version number of previous version:** Not applicable  
5

- **Abbreviations and acronyms:** ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

- **Sources** - [www.echa.europa.eu](http://www.echa.europa.eu)

- [www.baua.de](http://www.baua.de)

IFA: Institute für Occupational Safety and Health of the German Social Accident Insurance:

- [www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp](http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp)

- [www.dguv.de/ifa/gestis/gestis-dnel-liste](http://www.dguv.de/ifa/gestis/gestis-dnel-liste)

- \* Data compared to the previous version altered.